

	٥				
		μ			
		μ			

 $PNP(Is=10f\ Xti=3\ Eg=1.11\ Vaf=100\ Bf=133.8\ Ise=1.678p\ Ne=2.159\ Ikf=.1658\ Nk=.901\ Xtb=1.5\ Var=100\ Br=1\ Isc=9.519n\ Nc=3.88\ Ikr=5.813\ Rc=7.838\ Cjc=2.81p\ Mjc=.1615\ Vjc=.8282\ Fc=.5\ Cje=2.695p\ Mje=.3214\ Vje=.7026\ Tr=11.32n\ Tf=97.83p\ Itf=69.29\ Xtf=599u\ Vtf=10)$



SOT 23 (TO 236) 2.90x1.30x1.00 1.90P CASE 318 ISSUE AU

DATE 14 AUG 2024

SOT 23 (TO 236) 2.90x1.30x1.00 1.90P CASE 318 ISSUE AU

DATE 14 AUG 2024

	STYLE 6: PIN 1. BASE 2. EMITTER 3. COLLECTOR	STYLE 7: PIN 1. EMITTER 2. BASE 3. COLLECTOR	STYLE 8: PIN 1. ANODE 2. NO CONNECTION 3. CATHODE	N
STYLE 9:	STYLE 10:	STYLE 11:	STYLE 12:	STYLE 13: STYLE 14: PIN 1. SOURCE PIN 1. CATHODE 2. DRAIN 2. GATE 3. GATE 3. ANODE
PIN 1. ANODE	PIN 1. DRAIN	PIN 1. ANODE	PIN 1. CATHODE	
2. ANODE	2. SOURCE	2. CATHODE	2. CATHODE	
3. CATHODE	3. GATE	3. CATHODE-ANODE	3. ANODE	
STYLE 15:	STYLE 16:	STYLE 17:	STYLE 18:	STYLE 19:
PIN 1. GATE	PIN 1. ANODE	PIN 1. NO CONNECTION	PIN 1. NO CONNECTION	N PIN 1. CATHODE
2. CATHODE	2. CATHODE	2. ANODE	2. CATHODE	2. ANODE
3. ANODE	3. CATHODE	3. CATHODE	3. ANODE	3. CATHODE-ANODE
	STYLE 22: PIN 1. RETURN 2. OUTPUT 3. INPUT	STYLE 23: PIN 1. ANODE 2. ANODE 3. CATHODE 3.		

