

Thank you for your interest in **onsemi** products.  
Your technical document begins on the following pages.



## Your Feedback is Important to Us!

Please take a moment to participate in our short survey.  
At **onsemi**, we are dedicated to delivering technical content that best meets your needs.

### [Help Us Improve – Take the Survey](#)

This survey is intended to collect your feedback, capture any issues you may encounter, and to provide improvements you would like to suggest.

**We look forward to your feedback.**

To learn more about **onsemi**, please visit our website at [www.onsemi.com](http://www.onsemi.com)

---

onsemi U onsemi w I LL "onsemi" onsemi  
WWW onsemi w onsemi w  
onsemi onsemi onsemi " " onsemi w w  
onsemi



# XGS Family

## ORDERING INFORMATION

**Table 2. ORDERABLE PART NUMBERS** (Notes 1, 2)

Part Number	Product Description			Speed Grade	Resolution (H x V)
NOIX1SE016KB-LTI	16 MP	Color	Production Device	24 lanes	4000 x 4000
NOIX1SN016KB-LTI	16 MP	Mono	Production Device		
NOIX2SE016KB-LTI	16 MP	Color	Production Device	12 lanes	
NOIX2SN016KB-LTI	16 MP	Mono	Production Device		
NOIX3SE016KB-LTI	16 MP	Color	Production Device	6 lanes	
NOIX3SN016KB-LTI	16 MP	Mono	Production Device		

1. See the **onsemi** Device Nomenclature document (TND310/D) for a full description of the naming convention used for image sensors. For reference documentation, including information on evaluation kits, please visit our web site at [www.onsemi.com](http://www.onsemi.com).
2. All devices listed in Table 2 are equipped with microlenses and optimized for a 0° Chief Ray Angle (zero-shift placement).

**Table 3. ORDERING INFORMATION EVALUATION KITS**

Part Number	Product Description	Additional Information
NOIX1SN016KBLFB-GEVB	Sensor Headboard (16 MP, Mono, 24-Lane)	Demo Kit Headboard (incl. NOIX1SN016KB-LTI) (Note 3)
NOIX1SE016KBLFB-GEVB	Sensor Headboard (16 MP, Color, 24-Lane)	Demo Kit Headboard (incl. NOIX1SE016KB-LTI) (Note 3)
AGBAN6CS-GEVK	Frame Buffer Demo Board	AP21088 including Power Adapter
AGB1N0CS-GEVK	Demo 3 Board	FPGA Base Board including USB Cable and Tripod

3. Sensors are soldered to the headboard.

# XGS Family




Figure 1. Functional Block Diagram (XGS 16000)

**ILGA163 21.5x19.5, 1P**  
CASE 710AA  
ISSUE C

DATE 08 JUL 2020

XXXX = Specific Device Code  
Y = Year  
ZZZ = Assembly Lot Code

**onsemi**, **onsemi**, and other names, marks, and brands are registered and/or common law trademarks of Semiconductor Components Industries, LLC dba "**onsemi**" or its affiliates and/or subsidiaries in the United States and/or other countries. **onsemi** owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of **onsemi**'s product/patent coverage may be accessed at [www.onsemi.com/site/pdf/Patent-Marking.pdf](http://www.onsemi.com/site/pdf/Patent-Marking.pdf). **onsemi** reserves the right to make changes at any time to any products or information herein, without notice. The information herein is provided "as-is" and **onsemi** makes no warranty, representation or guarantee regarding the accuracy of the information, product features, availability, functionality, or suitability of its products for any particular purpose, nor does **onsemi** assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using **onsemi**

---

---