





QSOP16  
CASE 492 i01  
ISSUE A

DATE 23 MAR 2011

SCALE 2:1




NOTES:

1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
2. CONTROLLING DIMENSION: MILLIMETERS.
3. DIMENSION b DOES NOT INCLUDE DAMBAR PROTRUSION.
4. DIMENSION D DOES NOT INCLUDE MOLD FLASH, PROTRUSIONS, OR GATE BURRS. MOLD FLASH, PROTRUSIONS, OR GATE BURRS SHALL NOT EXCEED 0.005 PER SIDE. DIMENSION E1 DOES NOT INCLUDE INTERLEAD FLASH OR PROTRUSION. INTERLEAD FLASH OR PROTRUSION SHALL NOT EXCEED 0.005 PER SIDE. D AND E1 ARE DETERMINED AT DATUM H.
5. DATUMS A AND B ARE DETERMINED AT DATUM H.

INCHES		
DIM	MIN	MAX
A	0.053	0.069
A1	0.004	0.010
b	0.008	0.012
c	0.007	0.010

e	0.025 BSC	
h	0.009	0.020
L	0.016	0.050
M	0°	8°

SOLDERING FOOTPRINT



XXXXX = Specific Device Code  
YY = Year  
WW = Work Week  
G = Pb free Package